

נספח 3. מקורות

- [1] Anderegg WR, Klein T, Bartlett M, et al. 2016. Meta-analysis reveals that hydraulic traits explain cross-species patterns of drought-induced tree mortality across the globe. *PNAS* **113**: 5024-5029.
- [2] Arzee T, Waisel Y, and Liphschitz N. 1970. Periderm development and phellogen activity in the shoots of *Acacia raddiana* Savi. *New Phytologist* **69**: 395-398.
- [3] Canadell J, Jackson R, Ehleringer J, et al. 1996. Maximum rooting depth of vegetation types at the global scale. *Oecologia* **108**: 583-595.
- [4] Danin A. 1983. Desert vegetation of Israel and Sinai. Jerusalem: Cana Publishing House.
- [5] Do FC, Rocheteau A, Diagne AL, et al. 2008. Stable annual pattern of water use by *Acacia tortilis* in Sahelian Africa. *Tree Physiology* **28**: 95-104.
- [6] Fahn A, Waisel Y, and Benjamini L. 1968. Cambial activity in *Acacia raddiana* Savi. *Annals of Botany* **32**: 677-686.
- [7] Filippa G, Cremonese E, Migliavacca M, et al. 2016. Phenopix: AR package for image-based vegetation phenology. *Agricultural and Forest Meteorology* **220**: 141-150.
- [8] Garrido M, Silva P, and Acevedo E. 2016. Water relations and foliar isotopic composition of *Prosopis tamarugo* Phil., an endemic tree of the Atacama Desert growing at three levels of water table depth. *Frontiers in Plant Science* **7**: 375-385.
- [9] Ginat H, Shlomi Y, Batarseh S, and Vogel J. 2011. Reduction in precipitation levels in the Arava Valley (southern Israel and Jordan) 1949–2009. *Journal of Dead-Sea and Arava Research* **1**: 1-7.
- [10] Granier A and Loustau D. 1994. Measuring and modelling the transpiration of a maritime pine canopy from sap-flow data. *Agricultural and Forest Meteorology* **71**: 61-81.

- [11] Gries D, Zeng F, Foetzki A, et al. 2003. Growth and water relations of *Tamarix ramosissima* and *Populus euphratica* on Taklamakan desert dunes in relation to depth to a permanent water table. *Plant, Cell and Environment* **26**: 725-736.
- [12] Isaacson S, Ephrath J, Rachmilevitch S, et al. 2017. Long and short term population dynamics of acacia trees via remote sensing and spatial analysis: Case study in the southern Negev Desert. *Remote Sensing of Environment* **198**: 95-104.
- [13] Klein T, Rotenberg E, Cohen-Hilaleh E, et al. 2014. Quantifying transpirable soil water and its relations to tree water use dynamics in a water-limited pine forest. *Ecohydrology* **7**: 409-419.
- [14] Klein T. 2015. Drought-induced tree mortality: From discrete observations to comprehensive research. *Tree Physiology* **35**: 225-228.
- [15] Ludwig F, Dawson TE, de Kroon H, et al. 2003. Hydraulic lift in *Acacia tortilis* trees on an East African savanna. *Oecologia* **134**: 293-300.
- [16] Maslin B, Miller J, and Seigler D. 2003. Overview of the generic status of *Acacia* (Leguminosae: Mimosoideae). *Australian Systematic Botany* **16**: 1-18.
- [17] Munzbergova Z and Ward D. 2002. *Acacia* trees as keystone species in Negev desert ecosystems. *Journal of Vegetation Science* **13**: 227-236.
- [18] Otieno D, Kinyamario J, and Omenda T. 2001. Growth features of *Acacia tortilis* and *Acacia xanthophloea* seedlings and their response to cyclic soil drought stress. *African Journal of Ecology* **39**: 126-132.
- [19] Otieno D, Schmidt M, Adiku S, and Tenhunen J. 2005. Physiological and morphological responses to water stress in two *Acacia* species from contrasting habitats. *Tree Physiology* **25**: 361-371.
- [20] Otieno D, Schmidt M, Kinyamario J, and Tenhunen J. 2005. Responses of *Acacia tortilis* and *Acacia xanthophloea* to seasonal changes in soil water availability in the savanna region of Kenya. *Journal of Arid Environments* **62**: 377-400.

- [21] Peled Y. 1988. The mortality of acacia trees in the southern Arava region (MSc thesis). The Hebrew University of Jerusalem.
- [22] Raz-Yaseef N, Rotenberg E, and Yakir D. 2010. Effects of spatial variations in soil evaporation caused by tree shading on water flux partitioning in a semi-arid pine forest. *Agricultural and Forest Meteorology* **150**: 454-462.
- [23] Schwinning S and Ehleringer JR. 2001. Water use trade-offs and optimal adaptations to pulse-driven arid ecosystems. *Journal of Ecology* **89**: 464-480.
- [24] Sher A, Wiegand K, and Ward D. 2010. Do Acacia and Tamarix trees compete for water in the Negev desert? *Journal of Arid Environments* **74**: 338-343.
- [25] Shrestha MK, Stock WD, Ward D, and Golan-Goldhirsh A. 2003. Water status of isolated Negev desert populations of *Acacia raddiana* with different mortality levels. *Plant Ecology* **168**: 297-307.
- [26] Steinkamp J and Hickler T. 2015. Is drought-induced forest dieback globally increasing? *Journal of Ecology* **103**: 31-43.
- [27] Steppe K, Sterck F, and Deslauriers A. 2015. Diel growth dynamics in tree stems: Linking anatomy and ecophysiology. *Trends in Plant Science* **20**: 335-343.
- [28] Stone EL and Kalisz PJ. 1991. On the maximum extent of tree roots. *Forest Ecology and Management* **46**: 59-102
- [29] Urban J, Bednářová E, Plichta R, and Kučera J. 2013. Linking phenological data to ecophysiology of European beech, In: IX International Workshop on Sap Flow. 991: 293-299.
- [30] Ward D and Rohner C. 1997. Anthropogenic causes of high mortality and low recruitment in three Acacia tree taxa in the Negev desert, Israel. *Biodiversity & Conservation* **6**: 877-893.
- [31] Winters G, Ryvkin I, Rudkov T, et al. 2015. Mapping underground layers in the super arid Gidron Wadi using electrical resistivity tomography (ERT). *Journal of Arid Environments* **121**: 79-83.